Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Discrete Applied Mathematics 141 (2004) 295–296
DISCRETE APPLIED MATHEMATICS
www.elsevier.com/locate/dam

Author Index
Volume 141 (2004)

Alcón, L. and M. Gutierrez, Cliques and extended triangles. A necessary condition for planar clique graphs (1–3) 3–17
Barbosa, V.C., see L.D. Penso (1–3) 243–253
Ceroi, S. and F. Havet, Trees with three leaves are $(n+1)$-unavoidable (1–3) 19–39
Conforti, M., G. Cornuéjols and K. Vušković, Decomposition of odd-hole-free graphs by double star cutsets and 2-joins (1–3) 41–91
Cornuéjols, G., see M. Conforti (1–3) 41–91
Dantas, S., S. Gravier and F. Maffray, Extremal graphs for the list-coloring version of a theorem of Nordhaus and Gaddum (1–3) 93–101
de A. Moreira, C.G.T. and Y. Kohayakawa, Bounds for optimal coverings (1–3) 263–276
de Figueiredo, C.M.H., see L. Faria (1–3) 119–134
de Mello, C.P., see A. Morgana (1–3) 225–241
Devroye, L. and C. Zamora-Cura, Expected worst-case partial match in random quadtries (1–3) 103–117
Faria, L., C.M.H. de Figueiredo and C.F.X. Mendonça, On the complexity of the approximation of nonplanarity parameters for cubic graphs (1–3) 119–134
Fomin, F.V., M. Matamala, E. Prisner and I. Rapaport, AT-free graphs: linear bounds for the oriented diameter (1–3) 135–148
Gao, Z. and J. Wang, Exact enumeration of rooted 3-connected triangular maps on the projective plane (1–3) 149–159
Gravier, S., see S. Dantas (1–3) 93–101
Gutierrez, M., see L. Alcón (1–3) 3–17
Havet, F., see S. Ceroi (1–3) 19–39
Hayward, R.B. and W.J. Lenhart, Bichromatic P_4-composition schemes for perfect orderability (1–3) 161–183
Hell, P., S. Klein, L.T. Nogueira and F. Protti, Partitioning chordal graphs into independent sets and cliques (1–3) 185–194
Klein, S., see P. Hell (1–3) 185–194
Kohayakawa, Y., see C.G.T. de A. Moreira (1–3) 263–276
Larrión, F., V. Neumann-Lara and M.A. Pizaña, Clique divergent clockwork graphs and partial orders (1–3) 195–207
Lenhart, W.J., see R.B. Hayward (1–3) 161–183
Lins, L., S. Lins and S. Melo, Phorma: perfectly hashable order restricted multidimensional arrays (1–3) 209–223
Lins, S., see L. Lins (1–3) 209–223
Lucena, A. and M.G.C. Resende, Strong lower bounds for the prize collecting Steiner problem in graphs (1–3) 277–294
Maffray, F., see S. Dantas (1–3) 93–101
Matamala, M., see F.V. Fomin (1–3) 135–148
Melo, S., see L. Lins (1–3) 209–223
Mendonça, C.F.X., see L. Faria (1–3) 119–134
Morgana, A., C.P. de Mello and G. Sontacchi, An algorithm for 1-bend embeddings of plane graphs in the two-dimensional grid (1–3) 225–241

doi:10.1016/S0166-218X(04)00168-4

Neumann-Lara, V., see F. Larrión (1–3) 195–207
Nogueira, L.T., see P. Hell (1–3) 185–194
Penso, L.D. and V.C. Barbosa, A distributed algorithm to find k-dominating sets (1–3) 243–253
Pizaña, M.A., Distances and diameters on iterated clique graphs (1–3) 255–261
Pizaña, M.A., see F. Larrión (1–3) 195–207
Prisner, E., see F.V. Fomin (1–3) 135–148
Protti, F., see P. Hell (1–3) 185–194
Rapaport, I., see F.V. Fomin (1–3) 135–148
Reed, B.A., S.W. Song and J.L. Szwarcfiter, Preface (1–3) 1–1
Resende, M.G.C., see A. Lucena (1–3) 277–294
Song, S.W., see B.A. Reed (1–3) 1–1
Sontacchi, G., see A. Morgana (1–3) 225–241
Szwarcfiter, J.L., see B.A. Reed (1–3) 1–1
Vušković, K., see M. Conforti (1–3) 41–91
Wang, J., see Z. Gao (1–3) 149–159
Zamora-Cura, C., see L. Devroye (1–3) 103–117